

U.S. ARMY CORPS OF ENGINEERS

DEPTH, FEET		SAMPLE	SAMPLE NO.	PEN./TORVANE SPT.-BLOW COUNT	COLOR	MATERIAL TYPE	CONSIS- TENCY	SECONDARY CONSTITUENTS	STRUCTURAL FEATURES AND COMMENTS
BORING NO. <u>SJ-04</u> DATE: BEGIN <u>10-10-02</u> PAGE <u>1 / 1</u>					JOB NO. <u>1140127279</u> COMPLETE <u>10-10-02</u> Thin Walled Tube				
PROJECT <u>Lost Lake Placement Area</u> ☒ 3" ☐ 6"					LOCATION <u>X = 3,241,617.510, Y = 723,984.896</u>				
ELEVATION OF HOLE _____					MANUFACTURER'S DESIGNATION OF DRILL RIG <u>CF-1000 Marsh Buggy</u>				
GROUNDWATER: DEPTH <u>2</u> ft., ELEV. _____ ft., at end of Drilling					WEATHER <u>CLOUDY</u>				
DRILLER <u>Dempsey Geacaren</u> LOGGER <u>John A. Gentry</u>									
0	J	1			LT BROWN + GRAY	SAND	V. LOOSE	SILT	- W/ROOTS
		2	0.00		DARK GRAY	CLAY	V. SOFT		- W/ HYDROCARBON O.D. 2.4'
5		3	0.00		REDISH BROWN + GRAY	CLAY	V. SOFT		- W/ SAND SMS
	J	4			GRAY	SAND	V. LOOSE		
	X	5	WOH 12"		GRAY	SAND	V. LOOSE		
10	X	6	1.1		DARK GRAY	SAND	V. LOOSE		- W/ CLAY SMS
		7	0.00		DARK GRAY	CLAY	V. SOFT		X DARK GRAY CLAY @ 12'
15		8	0.00		DARK GRAY	CLAY	V. SOFT		- W/ HYDROCARBON O.D. 12-16
		9	0.00		DARK GRAY	CLAY	V. SOFT		- W/ROOTS
20									
25									J = JAR SAMPLE
30									WOH = WEIGHT OF HAMMER
35									