

LOG OF BORING

Project : MTBE Improvement Areas-Tenneco Natural Gas Liquids Corp., La Porte, Texas
 Client : M.W. Kellogg Company
 Houston, Texas
 Boring No. : B-104
 File No. : 90-0422
 Date : 7-10-90
 Elevation : +19 ft.
 Dry Augered 0 to 30 ft. Water at Dry ft.; Caving at 24.9 ft.
 Wash Bored to ft. Water at 24.1 ft. after 24 hours

ELEV	SOIL SYMBOLS SAMPLER SYMBOLS AND FIELD TEST DATA	Description	Wc (%)	Dens. (pcf)	Qu or UU (tsf)	Str (%)	LL	PI	#200 (%)
DEPTH									
0	3.00	Very stiff dark gray CLAY (CH) w/ferrous & calcareous nodules	27				74	48	
	1.25	-firm below 2'	32						
	2.50	-stiff, gray & tan below 4'	30						
5	2.50								
	2.50	-very stiff, tan & light gray w/ slickensides below 8'	28	96	2.04	2%			
10	2.50	-stiff below 10'							
	2.50								
15	2.50								
	1.75								
20	2.75								
	3.50	-very stiff below 28'							
25									
30									

Bottom @ 30'