Houston Ship Channel **LOG OF BORING NO.** 3 St - 145

Tide +2.3 @ 6:50 PM

TYPE: 3" Shelby Tube LOCATION: Baytown Sta 300+00

DEPTH FT.	SYMBOL	SAMPLES	DESCRIPTION OF MATERIAL (SURF EL)	BLOWS PER FT	UNIT DRY WT. LBS./CU.FT.	ELEVATION FT.
10			Water			
5						
20	S M		Dark Gray, silty sand 0-72-38 Loose - v/Loose	3		
25				2		
30						
35	C H		Dark Gray - Tan Clay v/stiff 0-0-100		99.0 101.9 109.1	3.75
40			Tan, sandy clay 0-41-59 v/stiff - hard		115.8 107.7	4.5
45	S M		Tan clayey silty sand L.S: 3.0 0-55-45		111.3	
50	S M		Tan silty sand 0-87-13			
55						

POCKET PENETROMETER TONS / SQ. FT. (0.5, 1.0, 1.5, 2.0, 2.5, 3.0)

PLASTIC LIMIT — WATER CONTENT, % (10, 20, 30, 40, 50, 60) — LIQUID LIMIT

COMPLETION DEPTH 52.5'

DATE 21 May 1963

DEPTH TO WATER IN BORING

DATE

SWN 266(C)
22 AUG 62