

PROJECT NO. 278-91 (591-203)



ENGINEERING CORP.
GEOTECHNICAL ENGINEERS

PROJECT Water Control Structure at
Salt Bayou

BORING 91-203

DATE 7/30/91

TYPED & R 100 3" Core

LOCATION See Plan


DEPTH IN FEET	SYMBOL	CORES	DESCRIPTION	BLOWS/FOOT	M.C., %	U.D.W. PCF	COMPRESSIVE STRENGTH-TSF					LIQUID LIMIT	PLASTIC LIMIT
							0.5	1.0	1.5	2.0	2.5		
0	11		Very soft gray silty clay (CH)	99									
				92									
5				93	44							94	36
				98									
				93									
10			Soft gray clay (CH) w/ sand partings	47									
			Med	29	90							60	20
15			w/ calcareous nodules @ 14'-16'	31									
			Bottom @ 16'										
20													
25			Date: 7/30/91										
			Time: 11:00 a.m.										
			Temperature: 97°F										
			Weather: Sunny & hot										
30			Logger: Chaiyong Sriprasitdh										
			Driller: Dempsey Gearen										
			Machine: D & R 100										
35													
			NOTE: Unconfined compression										
			and pocket penetrometer										
			plotted as 1/2 of the										
40			laboratory value.										
45													
50													

BORING DRILLED TO 16 FEET WITHOUT DRILLING FLUID
WATER ENCOUNTERED AT 4 FEET WHILE DRILLING
WATER LEVEL AT 2 FEET AFTER 1/2 HOURS

SUMMARY OF LABORATORY TEST DATA

GRAIN SIZE CURVES

U S STANDARD SIEVE SIZES




GRAVEL		SAND			SILT	CLAY
COARSE	FINE	COARSE	MEDIUM	FINE		

Curve No. Boring No. 91-203 Depth, Ft. 4'-6' Material Very soft gray silty clay (OH)



GRAIN SIZE CURVES

U S STANDARD SIEVE SIZES



GRAVEL		SAND			SILT	CLAY
COARSE	FINE	COARSE	MEDIUM	FINE		

Curve No.

Boring No.

Depth, Ft.


Material

91-203

12'-14'

Soft gray clay (CH)
w/ sand partings

UNCONFINED COMPRESSION TEST
STRESS-STRAIN DIAGRAM



BORING NO. 91-203

DEPTH 4-6 FT.

Review of Aviles Report
on Salt Bayou Water Control Structure

1. The plates showing description of materials, moisture content, unit dry weight, shear strength and atterberg limits are somewhat misleading. The presentation of unconfined compressive stress as a shear strength does ^{not} ~~ent~~ appear appropriate. Shear strength is usually taken as one half the unconfined compressive stress.
2. A comparison of the plots of pocket penetrometer readings with those shown on the driller's log appears to indicate that most if not all of the field readings were used on the plots. The contracts states: "The consistency of undisturbed cohesive materials shall be determined in the laboratory by taking pocket penetrometer readings in accordance with procedures outlined in Paragraph 8.6." Were pocket penetrometer readings taken in the laboratory?
3. A number of the torvane readings shown on the plots indicate no shear strength. What in fact were the torvane readings? A tabulation of the torvane readings should have been presented on the Summary of Laboratory Test Data.
4. The moisture - density relationship does not appear reasonable for some samples. Sample 6 from Boring No. 91-202 and

Sample 2 from Borings No. 91-206 appears to have this unreasonable relationship.