

<b>DRILLING LOG</b>		DIVISION Southwestern	INSTALLATION Galv Dist, Eng Div	SHEET OF SHEETS
1. PROJECT Sabine Neches Spoil Disposal Area		10. SIZE AND TYPE OF BIT		
2. LOCATION (Coordinates or Station)		11. DATUM FOR ELEVATION SHOWN (TBM or MSL)		
3. DRILLING AGENCY U. S. Army Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and file number) 3ST-19		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN	DISTURBED 16 Cont	UNDISTURBED
5. NAME OF DRILLER Caraway		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE	STARTED 14 Apr	COMPLETED 14 Apr 1964
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE		
9. TOTAL DEPTH OF HOLE 16.0		18. TOTAL CORE RECOVERY FOR BORING %		
		19. SIGNATURE OF INSPECTOR		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
0.0	2.0		Light tan sandy clay stiff			Cont. 1 1.25
2.0	4.0		Light tan sandy clay soft			Cont. 2 0.25
4.0	6.0		Dark gray clay w/org. mat. soft			Cont. 3 0.25
6.0	8.0		Dark gray silty clay, v/soft			Cont. 4 0.0
8.0	10.0		Dark gray clay, muck, v/soft			Cont. 5 0.0
10.0	12.0		Same as above, v/soft			Cont. 6 0.0
12.0	14.0		12.0-12.5 Dark gray clay muck 12.5-14.0 Light gray clay stiff			Cont. 7 1.0
14.0	16.0		Light tan gray clay w/traces of sand, v/stiff  Bottomed Water table 8.0			Cont. 8 1.50

8 = 0 MSL