

U.S. ARMY CORPS OF ENGINEERS

DEPTH, FEET	SAMPLE NO.	SAMPLE NO.	PEN./TORVANE SPT.-BLOW COUNT	BORING NO. <u>92-181</u> DATE: BEGIN <u>8-2-92</u> PAGE <u>1 1 1</u> JOB NO. <u>146548</u> COMPLETE <u>8-2-92</u> Thin Walled Tube PROJECT <u>DISPOSAL AREA #5</u> <input checked="" type="checkbox"/> 3" <input type="checkbox"/> 6" LOCATION <u>BROWNSVILLE SHIP CHANNEL</u> ELEVATION OF HOLE _____ MANUFACTURER'S DESIGNATION OF DRILL RIG <u>C-1000 Marsh Bussy</u> GROUNDWATER: DEPTH <u>3.00</u> ft., ELEV. _____ ft., at end of Drilling WEATHER <u>PARTLY CLOUDY, HOT, & VERY WINDY</u> DRILLER <u>SCOTT GREGUREK</u> LOGGER <u>JOHN A. GENTRY</u>						
				COLOR	MATERIAL TYPE	CONSISTENCY	SECONDARY CONSTITUENTS	STRUCTURAL FEATURES AND COMMENTS		
0										
-5-										
-10-										
-15-										
-20-										
-25-										
-30-										
-35-										

1 4.54
 2 4.5
 3 0.5
 4 1.25
 5 0.25
 6 0.25
 7 1.0
 8 0.50

1	4.54	GRAY	CLAY	HARD
2	4.5	BROWN	CLAY	MEDIUM STIFF
3	0.5	BROWN	CLAY	STIFF
4	1.25	"	"	STIFF
5	0.25	"	"	SOFT
6	0.25	BROWN	CLAY	SOFT
7	1.0	BROWN	CLAY	STIFF
8	0.50	BROWN	CLAY	MEDIUM STIFF

+GRAY
 -w/si LAYER 6'-10"
 +GRAY Below 12'

