

October 22, 2008

Attn.: Mr. Daniel Heilman, P.E.

RETL Job No.: G108558

WEST GALVESTON ISLAND LG. SCALE BEACH NOURISHMENT PROJECT


South Jetty Borrow Source Area

Galveston, Texas

BORING NO.	GPS COORDINATES	
C-01	N. 29.33841	W. 94.72652
C-02	N. 29.33981	W. 94.72643
C-03	N. 29.33892	W. 94.72394
C-04	N. 29.33793	W. 94.72235
C-05	N. 29.33645	W. 94.72380
C-06	N. 29.33628	W. 94.72204
C-07	N. 29.33395	W. 94.72095
C-08	N. 29.33927	W. 94.71980
C-09	N. 29.33801	W. 94.72057
C-10	N. 29.33691	W. 94.71941
C-11	N. 29.33475	W. 94.71779
C-12	N. 29.33336	W. 94.71779
C-13	N. 29.33744	W. 94.71832
C-14	N. 29.33970	W. 94.71677
C-15	N. 29.33820	W. 94.71687
C-16	N. 29.33661	W. 94.71597
C-17	N. 29.33607	W. 94.71563
C-18	N. 29.33411	W. 94.71399
C-19	N. 29.33955	W. 94.71420
C-20	N. 29.33748	W. 94.71338
C-21	N. 29.33338	W. 94.71127
C-22	N. 29.33564	W. 94.71037
C-23	N. 29.33239	W. 94.70724
C-24	N. 29.33759	W. 94.70845
C-25	N. 29.33560	W. 94.70621
C-26	N. 29.33506	W. 94.71728
C-27	N. 29.33483	W. 94.71611
C-28	N. 29.33711	W. 94.72358
C-29	N. 29.33742	W. 94.71455
C-30	N. 29.33811	W. 94.72344
C-31	N. 29.33493	W. 94.72033
C-32	N. 29.33541	W. 94.73054

In addition, forty surface grab samples from onshore and offshore of the Gulf beach along west Galveston Island were obtained and delivered to RETL by a representative of HDR, Inc. The ground surface elevations at the offshore grab sample locations are provided in the table below:

C:\P\Working\DAL\dms93560\00V101.DWG, 10/20/2008 4:00:32 PM



- NOTES:**
1. REFER TO NOTES ON SHEET C101
 2. AERIAL PHOTOGRAPH SHOWN ON THIS SHEET WAS OBTAINED FROM GOOGLE EARTH AND FLOWN ON JANUARY 2006.
 3. ELEVATION CONTOURS ARE IN FT REFERENCED TO NAVD'88
 4. VIBRACORE SAMPLING WAS PERFORMED BY TEXAS A&M UNIVERSITY AT GALVESTON IN 1992 AND ON 1/20/06, 7/9/06, AND 7/11/06.
 5. SOIL BORINGS WERE PERFORMED BY ROCK ENGINEERING AND TESTING LABORATORY DURING JULY 2008.
 6. MAGNETOMETER ANOMALIES WERE LOCATED BY PGS&J DURING FEBRUARY 2008.
- LEGEND:**
- C32 APPROXIMATE SOIL BORING LOCATION (2008)
 - ⊗ BR-22 APPROXIMATE VIBRACORE LOCATION (2006)
 - ⊗ 2 APPROXIMATE VIBRACORE LOCATION (1992)
 - M12 MAGNETOMETER ANOMALY

COORDINATES FOR PRELIMINARY AREA BORROW SOURCE (BOTTOM OF CUT)		
POINT	NORTHING	EASTING
(A)	13,696,434	3,330,395
(B)	13,696,162	3,336,429
(C)	13,692,769	3,337,805
(D)	13,693,282	3,332,723
(E)	13,693,492	3,331,448
(F)	13,694,395	3,330,428
(G)	13,695,190	3,329,078
(H)	13,695,521	3,328,798
(J)	13,695,713	3,328,795
(K)	13,696,135	3,328,811
(L)	13,696,306	3,329,220

SOUTH JETTY BORROW SOURCE AREA

SCALE: 0 400' 800'



HDR
SHINER
MOSELEY

ISSUE	DATE	DESCRIPTION
1	10/20/08	REVISED SOIL BORING LOCATIONS AND SCALE
0	10/17/08	ISSUED TO TOLG

PROJECT MANAGER	DANIEL J. HELLMAN
DRAWN BY	BRUCE L. JACKSON
CHECKED BY	LAUREN AUGUSTIN
PROJECT NUMBER	88091

PRELIMINARY
THIS DOCUMENT IS RELEASED FOR THE PURPOSE OF
INTERIM REVIEW AND IS NOT INTENDED TO BE USED FOR
CONSTRUCTION, BIDDING OR PERMIT PURPOSES.

WEST GALVESTON ISLAND
END OF SEAWALL BEACH NOURISHMENT




BORROW SOURCE AREA

FILENAME	00V101.DWG	SHEET
SCALE	AS SHOWN	V101

LOG OF BORING C-08

SHEET 1 of 1



Rock Engineering & Testing Lab., Inc.
6817 Leopard St.
Corpus Christi, TX 78409
Telephone: (361) 883-4555
Fax: (361) 883-4711

CLIENT: HDR, Inc.

PROJECT: Prop. Large Scale Beach Nourishment Project

LOCATION: S. Jetty Borrow Source Area; Galveston, TX

NUMBER: G108558

DATE(S) DRILLED: 07/31/08 - 07/31/08

DRILLING METHOD(S):

Hollow Stem Auger

GROUNDWATER INFORMATION:

SURFACE ELEVATION: -27.1' NAVD

DESCRIPTION OF STRATUM

SOIL SYMBOL	FIELD DATA				LABORATORY DATA						
	Elevation, Ft. [NAVD]	SAMPLE NUMBER	SAMPLES	N: BLOWS/FT P: TONS/SQ FT T: TONS/SQ FT PERCENT RECOVERY/ ROCK QUALITY DESIGNATION	MOISTURE CONTENT (%)	ATTERBERG LIMITS			DRY DENSITY POUNDS/CU FT	COMPRESSION STRENGTH (TONS/SQ FT)	MINUS NO. 200 SIEVE (%)
						LIQUID LIMIT LL	PLASTIC LIMIT PL	PLASTICITY INDEX PI			
	5										
	10										
	15										
	20										
	25										
	26										
	27										
	28										
	29										
	30										
	31										
	32										
	33										
	34										
	35										
	36										
	37	SS S-1	N= 2	38							37
	38	SS S-2	N= 16								
	39	SS S-3	N= 7	25							26
	40	SS S-4	N= WOH								
	41										
	42										
	43										
	44										
	45										
	46										
	47										
	48										
	49										
	50										
	51										
	52										
	53										
	54										
	55										
	56										
	57										
	58										
	59										
	60										
	61										
	62										
	63										
	64										
	65										
	66										
	67										
	68										
	69										
	70										
	71										
	72										
	73										
	74										
	75										
	76										
	77										
	78										
	79										
	80										
	81										
	82										
	83										
	84										
	85										
	86										
	87										
	88										
	89										
	90										
	91										
	92										
	93										
	94										
	95										
	96										
	97										
	98										
	99										
	100										

CLAYEY SAND, with shell, gray, very moist, soft.

Same as above, stiff.

SILTY CLAYEY SAND, with shell, gray, moist, loose.SANDY CLAY, with shell, gray, moist, very soft.

Boring was extended to an elevation of -35.1-feet NAVD during the drilling operations.

N - STANDARD PENETRATION TEST RESISTANCE
P - POCKET PENETROMETER RESISTANCE
T - POCKET TORVANE SHEAR STRENGTH

REMARKS:

Boring depth and location was determined by HDR, Inc. Boring operations were performed by RETL.
GPS Coord. N. 29.33927 W. 94.71980



- Geotechnical Engineering
- Construction Materials Testing

PROJECT NAME: West Galveston Island Large Scale Beach Nourishment Project

CLIENT: HDR, Inc.


BORING ID.: C-08

DESCRIPTION: South Jetty Borrow Source Area

PERCENT SHELL BY WEIGHT (BASED ON #10 SIEVE)	
-27.1' TO -29.1' NAVD	-31.1' TO -33.1' NAVD
3.40	0.08

ASTM MESH	% FINER BY WEIGHT AFTER REMOVING SHELL	
	-27.1' TO -29.1' NAVD	-31.1' TO -33.1' NAVD
#10	100.00	100.00
#18	98.10	99.70
#35	97.10	99.50
#60	96.20	99.10
#120	66.20	67.70
#170	42.40	33.60
#200	37.40	25.60
STATISTICS (EXCLUDING SHELL)		
MEDIAN GRAIN SIZE (mm)	0.10	0.11
MEAN GRAIN SIZE (mm)	N/A	N/A
SORTING (σ)	N/A	N/A

*The #10 material was utilized as the total sample for Grain Size Distribution Curve calculations.



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen ID	Depth	Classification	LL	PL	PI	Cc	Cu
● C-08 (-27.1 to -29.1' NAVD)		Borrow Area (-27.1' to -29.1' NAVD)					


Specimen ID	Depth	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● C-08 (-27.1 to -29.1' NAVD)		1	0.115			0.0	61.0	37.0	



Rock Engineering & Testing Lab., Inc.
6817 Leopard St.
Corpus Christi, TX 78409
Telephone: (361) 883-4555
Fax: (361) 883-4711

GRAIN SIZE DISTRIBUTION

Project: Prop. Large Scale Beach Nourishment Project
Location: South Jetty Borrow Source Area; Galveston, Texas
Number: G108558



COBBLES	GRAVEL		SAND			SILT OR CLAY
	coarse	fine	coarse	medium	fine	

Specimen ID	Depth	Classification	LL	PL	PI	Cc	Cu
● C-08 (-31.1' to -33.1' NAVD)		Borrow Area (-31.1' to -33.1' NAVD)					

Specimen ID	Depth	D100	D60	D30	D10	%Gravel	%Sand	%Silt	%Clay
● C-08 (-31.1' to -33.1' NAVD)		0.5	0.116	0.082		0.0	74.0	26.0	



Rock Engineering & Testing Lab., Inc.
6817 Leopard St.
Corpus Christi, TX 78409
Telephone: (361) 883-4555
Fax: (361) 883-4711

GRAIN SIZE DISTRIBUTION

Project: Prop. Large Scale Beach Nourishment Project
Location: South Jetty Borrow Source Area; Galveston, Texas
Number: G108558