

LOG OF BORING B-08

SHEET 1 of 1



Rock Engineering and Testing Laboratory, Inc.
4910 Neptune Street
Corpus Christi, Texas 78405
Telephone: (361) 883-4555
Fax: (361) 883-4711

CLIENT: Shiner Moseley and Associates, Inc.
PROJECT: Nueces Bay Subsurface Investigation
LOCATION: Nueces County, Texas
NUMBER: 0000677

DATE(S) DRILLED: 10/13/00 - 10/13/00

FIELD DATA										LABORATORY DATA					DRILLING METHOD(S): Static Cone Penetrometer Tests	
SOIL SYMBOL	DEPTH (FT)	SAMPLE NUMBER	SAMPLES	N: BLOWS/FT P: TONS/SQ.FT T: TONS/SQ.FT PERCENT RECOVERY/ ROCK QUALITY DESIGNATION	MOISTURE CONTENT (%)	ATTERBERG LIMITS			DRY DENSITY POUNDS/CU.FT	COMPRESSIVE STRENGTH (TONS/SQ.FT)	MINUS NO. 200 SIEVE (%)	GROUNDWATER INFORMATION	SURFACE ELEVATION: N/A	DESCRIPTION OF STRATUM		
						LL	PL	PI								
	1	NR S-1	○	Qc= 17								<u>SOIL SAMPLES WERE NOT OBTAINED</u>				
	2	NR S-2	○	Qc= 9												
	3	NR S-3	○	Qc= 48												
	4	NR S-4	○	Qc= 18												
	5	NR S-5	○	Qc= 36												
	6	NR S-6	○	Qc= 9												
	7	NR S-7	○	Qc= 0												
	8	NR S-8	○	Qc= 20												
	9	NR S-9	○	Qc= 0												
	10	NR S-10	○	Qc= 0												
												Test terminated at a depth of ten (10) feet.				
N - STANDARD PENETRATION TEST RESISTANCE P - POCKET PENETROMETER RESISTANCE T - POCKET TORVANE SHEAR STRENGTH												REMARKS: Boring location determined by Shiner Moseley and Associates on Island 51-ED at N27 51°11.7" W97 28°59.9" Static Cone penetrometer tests performed by RETL.				