



DRILLING LOG		DIVISION	INSTALLATION	SHEET 1 OF 1 SHEETS
1. PROJECT McFaddin Sand Search Jefferson County, TX			9. SIZE AND TYPE OF BIT 3.0 In.	
2. BORING DESIGNATION JCVC-15-28			10. COORDINATE SYSTEM/DATUM Texas South Central	
3. DRILLING AGENCY American Vibracore Services, Inc.			11. MANUFACTURER'S DESIGNATION OF DRILL Alpine Pneumatic Vibracore	
4. NAME OF DRILLER Brian McCord			12. TOTAL SAMPLES DISTURBED UNDISTURBED (UD)	
5. DIRECTION OF BORING ☒ VERTICAL ☐ INCLINED			13. TOTAL NUMBER CORE BOXES	
6. THICKNESS OF OVERBURDEN 0.0 Ft.			14. ELEVATION GROUND WATER	
7. DEPTH DRILLED INTO ROCK 0.0 Ft.			15. DATE BORING 01-27-15 15:57	
8. TOTAL DEPTH OF BORING 20.0 Ft.			16. ELEVATION TOP OF BORING -21.6 Ft.	
			17. TOTAL RECOVERY FOR BORING 19.6 Ft.	
			18. SIGNATURE AND TITLE OF INSPECTOR KM	

ELEV. (ft)	DEPTH (ft)	LEGEND	CLASSIFICATION OF MATERIALS Depths and elevations based on measured values	% REC.	BOX OR SAMPLE	REMARKS
-21.6	0.0					
			CLAY, trace carbonate rock fragments, carbonate rock fragments up to 0.25", light olive brown (2.5Y-5/4), (CL).		T1	Sample #T1, Depth = 2.5' Ave. Field Vane (tsf): 0.53
					T2	Sample #T2, Depth = 4.9' Ave. Field Vane (tsf): 0.50
-27.9	6.3					
			CLAY, little sand, trace carbonate rock fragments, carbonate rock fragments up to 0.25", brown (10YR-5/3), (CL).		1	Sample #1, Depth = 7.7' Mean (mm): 0.10, Phi Sorting: 0.88 Fines (230): 81.16% (CL)
-30.6	9.0					
			Clayey SAND, fine grained, quartz, light olive brown (2.5Y-5/3), (SC).		2	Sample #2, Depth = 11.0' Mean (mm): 0.12, Phi Sorting: 0.40 Fines (230): 38.18% (SC)
-34.7	13.1					
			CLAY, trace sand, dark grayish brown (2.5Y-4/2), (CL).		3	Sample #3, Depth = 16.3' Mean (mm): 0.10, Phi Sorting: 0.81 Fines (230): 93.66% (CL)
-41.2	19.6					
-41.6	20.0		No Recovery.			
			End of Boring			


LOUISIANA JEFFERSON COUNTY 2015 VCS.GPJ JPBRAZIL.GDT 6/4/15





Gravel		Sand			Silt and Clay
Coarse	Fine	Coarse	Medium	Fine	

Sample	Symbol	Elev. (ft)	USCS	% Fines	% Organics	% Carbonates	Median	Mean	Skew	Kurt	Sort	Sample Information	
JCVC-15-28 #2	—●—	-32.6	SC	#200 - 40.85 #230 - 38.18			3.48	3.08	-0.25	4.04	0.4	Project Name:	McFaddin Sand Search
Comments:												Analysis Date:	02-26-15
Depths and elevations based on measured values												Analyzed By:	ST
						CB&I Coastal Planning & Engineering, Inc. 2481 NW Boca Raton Blvd. Boca Raton, FL 33431 ph (561) 391 8102						Easting (X, ft):	3,475,144
												Northing (Y, ft):	13,789,799
												Horizontal System:	NAD 1983
												Vertical System:	NAVD 88



Gravel		Sand			Silt and Clay
Coarse	Fine	Coarse	Medium	Fine	

Sample	Symbol	Elev. (ft)	USCS	% Fines	% Organics	% Carbonates	Median	Mean	Skew	Kurt	Sort	Sample Information	
JCVC-15-28 #3	—●—	-37.9	CL	#200 - 96.39 #230 - 93.66				3.31	-2.9	14.69	0.81	Project Name:	McFaddin Sand Search
Comments:												Analysis Date:	02-26-15
Depths and elevations based on measured values												Analyzed By:	ST
							CB&I Coastal Planning & Engineering, Inc. 2481 NW Boca Raton Blvd. Boca Raton, FL 33431 ph (561) 391 8102					Easting (X, ft):	3,475,144
												Northing (Y, ft):	13,789,799
												Horizontal System:	NAD 1983
												Vertical System:	NAVD 88

Granularmetric Report Depths and elevations based on measured values				 CB&I Coastal Planning & Engineering, Inc. 2481 NW Boca Raton Blvd. Boca Raton, FL 33431 ph (561) 391 8102			
Project Name: McFaddin Sand Search							
Sample Name: JCVC-15-28 #1							
Analysis Date: 02-26-15							
Analyzed By: ST							
Easting (ft): 3,475,144		Northing (ft): 13,789,799		Coordinate System: Texas South Central		Elevation (ft): -29.3 NAVD 88	
USCS: CL		Munsell: Wet - 10YR-5/3 Dry - 10YR-6/4 Washed - 10YR-8/1		Comments:			
Dry Weight (g): 81.74	Wash Weight (g): 22.40	Pan Retained (g): 7.00	Sieve Loss (%): 0.00	Fines (%): #200 - 81.60 #230 - 81.16	Organics (%):	Carbonates (%):	Shell Hash (%):
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
3/4"	-4.25	19.03	0.00	0.00	0.00	0.00	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
7/16"	-3.50	11.31	0.00	0.00	0.00	0.00	
5/16"	-3.00	8.00	0.00	0.00	0.00	0.00	
3.5	-2.50	5.66	0.00	0.00	0.00	0.00	
4	-2.25	4.76	0.17	0.21	0.17	0.21	
5	-2.00	4.00	0.00	0.00	0.17	0.21	
7	-1.50	2.83	0.00	0.00	0.17	0.21	
10	-1.00	2.00	0.00	0.00	0.17	0.21	
14	-0.50	1.41	0.05	0.06	0.22	0.27	
18	0.00	1.00	0.09	0.11	0.31	0.38	
25	0.50	0.71	0.16	0.20	0.47	0.58	
35	1.00	0.50	0.14	0.17	0.61	0.75	
45	1.50	0.35	0.09	0.11	0.70	0.86	
60	2.00	0.25	0.15	0.18	0.85	1.04	
80	2.50	0.18	0.15	0.18	1.00	1.22	
120	3.00	0.13	0.34	0.42	1.34	1.64	
170	3.50	0.09	5.14	6.29	6.48	7.93	
200	3.75	0.07	8.56	10.47	15.04	18.40	
230	4.00	0.06	0.36	0.44	15.40	18.84	
Shell Hash calculated from visual estimate of shell <4.75mm and >2.8mm.							
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95	
					3.69	3.27	
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis		
Statistics	3.28	0.10	0.88	-4.38	24.33		

Granularmetric Report Depths and elevations based on measured values				 CB&I Coastal Planning & Engineering, Inc. 2481 NW Boca Raton Blvd. Boca Raton, FL 33431 ph (561) 391 8102			
Project Name: McFaddin Sand Search							
Sample Name: JCVC-15-28 #2							
Analysis Date: 02-26-15							
Analyzed By: ST				Coordinate System:		Elevation (ft):	
Easting (ft):		Northing (ft):					
3,475,144		13,789,799		Texas South Central		-32.6 NAVD 88	
USCS:		Munsell: Wet - 2.5Y-5/3 Dry - 2.5Y-7/4 Washed - 2.5Y-8/4		Comments:			
SC							
Dry Weight (g):	Wash Weight (g):	Pan Retained (g):	Sieve Loss (%):	Fines (%):	Organics (%):	Carbonates (%):	Shell Hash (%):
75.96	47.85	0.89	0.00	#200 - 40.85 #230 - 38.18			
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
3/4"	-4.25	19.03	0.00	0.00	0.00	0.00	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
7/16"	-3.50	11.31	0.00	0.00	0.00	0.00	
5/16"	-3.00	8.00	0.00	0.00	0.00	0.00	
3.5	-2.50	5.66	0.00	0.00	0.00	0.00	
4	-2.25	4.76	0.00	0.00	0.00	0.00	
5	-2.00	4.00	0.00	0.00	0.00	0.00	
7	-1.50	2.83	0.00	0.00	0.00	0.00	
10	-1.00	2.00	0.00	0.00	0.00	0.00	
14	-0.50	1.41	0.00	0.00	0.00	0.00	
18	0.00	1.00	0.00	0.00	0.00	0.00	
25	0.50	0.71	0.02	0.03	0.02	0.03	
35	1.00	0.50	0.01	0.01	0.03	0.04	
45	1.50	0.35	0.01	0.01	0.04	0.05	
60	2.00	0.25	0.34	0.45	0.38	0.50	
80	2.50	0.18	1.54	2.03	1.92	2.53	
120	3.00	0.13	19.41	25.55	21.33	28.08	
170	3.50	0.09	17.26	22.72	38.59	50.80	
200	3.75	0.07	6.34	8.35	44.93	59.15	
230	4.00	0.06	2.03	2.67	46.96	61.82	
Shell Hash calculated from visual estimate of shell <4.75mm and >2.8mm.							
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95	
			3.48	2.94	2.76	2.55	
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis		
Statistics	3.08	0.12	0.4	-0.25	4.04		

Granularmetric Report Depths and elevations based on measured values				 CB&I Coastal Planning & Engineering, Inc. 2481 NW Boca Raton Blvd. Boca Raton, FL 33431 ph (561) 391 8102			
Project Name: McFaddin Sand Search							
Sample Name: JCVC-15-28 #3							
Analysis Date: 02-26-15							
Analyzed By: ST							
Easting (ft): 3,475,144		Northing (ft): 13,789,799		Coordinate System: Texas South Central		Elevation (ft): -37.9 NAVD 88	
USCS: CL		Munsell: Wet - 2.5Y-4/2 Dry - 2.5Y-7/2 Washed - 2.5Y-7/1		Comments:			
Dry Weight (g): 78.34	Wash Weight (g): 11.29	Pan Retained (g): 6.33	Sieve Loss (%): 0.00	Fines (%): #200 - 96.39 #230 - 93.66	Organics (%):	Carbonates (%):	Shell Hash (%):
Sieve Number	Sieve Size (Phi)	Sieve Size (Millimeters)	Grams Retained	% Weight Retained	Cum. Grams Retained	C. % Weight Retained	
3/4"	-4.25	19.03	0.00	0.00	0.00	0.00	
5/8"	-4.00	16.00	0.00	0.00	0.00	0.00	
7/16"	-3.50	11.31	0.00	0.00	0.00	0.00	
5/16"	-3.00	8.00	0.00	0.00	0.00	0.00	
3.5	-2.50	5.66	0.00	0.00	0.00	0.00	
4	-2.25	4.76	0.00	0.00	0.00	0.00	
5	-2.00	4.00	0.00	0.00	0.00	0.00	
7	-1.50	2.83	0.00	0.00	0.00	0.00	
10	-1.00	2.00	0.04	0.05	0.04	0.05	
14	-0.50	1.41	0.03	0.04	0.07	0.09	
18	0.00	1.00	0.02	0.03	0.09	0.12	
25	0.50	0.71	0.03	0.04	0.12	0.16	
35	1.00	0.50	0.00	0.00	0.12	0.16	
45	1.50	0.35	0.01	0.01	0.13	0.17	
60	2.00	0.25	0.01	0.01	0.14	0.18	
80	2.50	0.18	0.32	0.41	0.46	0.59	
120	3.00	0.13	0.86	1.10	1.32	1.69	
170	3.50	0.09	1.01	1.29	2.33	2.98	
200	3.75	0.07	0.49	0.63	2.82	3.61	
230	4.00	0.06	2.14	2.73	4.96	6.34	
Shell Hash calculated from visual estimate of shell <4.75mm and >2.8mm.							
Phi 5	Phi 16	Phi 25	Phi 50	Phi 75	Phi 84	Phi 95	
						3.88	
Moment	Mean Phi	Mean mm	Sorting	Skewness	Kurtosis		
Statistics	3.31	0.10	0.81	-2.9	14.69		





