

BORING LOG NO. B-2

Page 1 of 1

PROJECT: Galveston Bay Sand Reclamation Project

CLIENT: Atkins North America, Inc.
Houston, Texas

SITE: Galveston Bay
Galveston, Texas

GRAPHIC LOG	LOCATION See Exhibit A-2 Latitude: 29.29941° Longitude: -94.84272°	DEPTH (Ft.)	WATER LEVEL OBSERVATIONS	SAMPLE TYPE	FIELD TEST RESULTS	STRENGTH TEST			WATER CONTENT (%)	DRY UNIT WEIGHT (pcf)	ATTERBERG LIMITS LL-PL-PI	PERCENT FINES
						TEST TYPE	COMPRESSIVE STRENGTH (tsf)	STRAIN (%)				
	DEPTH											
	CLAY , gray, very soft to stiff			X	WOH							
3.0				X	6-9-4 N=13							
	SAND , gray, loose to medium dense, with shell fragments			X	4-7-2 N=9							
6.0		5		X	3-1-2 N=3							
	CLAY , light gray and tan, soft to very stiff, with ferrous nodules				3.5 (HP)							
	- with calcareous nodules below 8 feet				4.5 (HP)							
		10			4.0 (HP)							
	- reddish brown and light gray below 12 feet				4.0 (HP)							
		15			4.0 (HP)							
					4.0 (HP)							
18.0												
	Boring Terminated at 18 Feet											

Stratification lines are approximate. In-situ, the transition may be gradual.

Hammer Type: Automatic

Advancement Method:
Dry augered to 6 feet; wet rotary thereafter.

Abandonment Method:
Not applicable

See Exhibit A-3 for description of field procedures.
See Appendix B for description of laboratory procedures and additional data (if any).
See Appendix C for explanation of symbols and abbreviations.

Notes:
- WOH = Weight of Hammer.
- Water depth of about 10 feet at the time of our field program.

WATER LEVEL OBSERVATIONS

Not applicable

Terracon
551 League City Pkwy Ste F
League City, TX

Boring Started: 07-11-2017

Drill Rig: Truck

Project No.: 91175047

Boring Completed: 07-11-2017

Driller: Van and Sons

Exhibit: A-4