

DRILLING LOG		DIVISION <i>Southwest</i>	INSTALLATION <i>Galv Dist</i>	Hole No. 78-139
1. PROJECT <i>Houston sh. ch</i>		10. SIZE AND TYPE OF BIT		SHEET 2 OF 3 SHEET
2. LOCATION (Coordinates or Station)		11. DATUM FOR ELEVATION SHOWN (TBM or MSL)		
3. DRILLING AGENCY <i>V.S.C.E.C</i>		12. MANUFACTURER'S DESIGNATION OF DRILL <i>Fa. 114 1500</i>		
4. HOLE NO. (As shown on drawing title and file number) 78-139		13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN DISTURBED <i>0 JPK</i> UNDISTURBED <i>19 cal</i>		
5. NAME OF DRILLER <i>CANNON</i>		14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE ☒ VERTICAL ☐ INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER <i>Tide + 1.5</i>		
7. THICKNESS OF OVERBURDEN		16. DATE HOLE STARTED <i>3470178</i> COMPLETED <i>2411176</i>		
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE		
9. TOTAL DEPTH OF HOLE <i>60.0</i>		18. TOTAL CORE RECOVERY FOR CORING		
		19. SIGNATURE OF INSPECTOR <i>Butler</i>		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
			<i>water to 12.0</i>			<i>3" st 12.0 to 60.0</i>
			<i>12.0 to 32.5</i>	<i>12.0</i>		<i>40' 4" casing set</i>
			<i>GR. CLCCN</i>	<i>1-C</i>	<i>0.0</i>	<i>UNC</i>
			<i>UPSOFT</i>	<i>15.0</i>		
	<i>16.0</i>			<i>2-C</i>	<i>0.0</i>	
				<i>17.5</i>		
				<i>3-C</i>	<i>0.0</i>	<i>UNC</i>
	<i>20.0</i>			<i>20.0</i>		
			<i>GR. CLCCN</i>	<i>4-C</i>	<i>0.0</i>	
			<i>SOFT</i>	<i>32.5</i>		
				<i>.25</i>		<i>WNL</i>
				<i>5-C</i>		
	<i>25.0</i>			<i>25.0</i>		
				<i>6-C</i>		
				<i>27.5</i>		
				<i>7-0</i>		
	<i>30.0</i>			<i>30.0</i>		

DRILLING LOG		DIVISION Southwest	INSTALLATION Gall. Dred		SHEET 2 OF 3 SHEETS
1. PROJECT Hawaii Sh. Ch.			10. SIZE AND TYPE OF BIT		
2. LOCATION (Coordinates or Station)			11. DATUM FOR ELEVATION SHOWN (TBM or MSL)		
3. DRILLING AGENCY			12. MANUFACTURER'S DESIGNATION OF DRILL		
4. HOLE NO. (As shown on drawing title and file number) 78-139			13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED
5. NAME OF DRILLER			14. TOTAL NUMBER CORE BOXES		
6. DIRECTION OF HOLE ☐ VERTICAL ☐ INCLINED _____ DEG. FROM VERT.			15. ELEVATION GROUND WATER		
7. THICKNESS OF OVERBURDEN			16. DATE HOLE STARTED COMPLETED		
8. DEPTH DRILLED INTO ROCK			17. ELEVATION TOP OF HOLE		
9. TOTAL DEPTH OF HOLE			18. TOTAL CORE RECOVERY FOR BORING %		
			19. SIGNATURE OF INSPECTOR		

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOV- ERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
				8-C	.25	
	32.5	to	47.5	32.5		
			CR-ORGANIC CL (CH) SOFT	9-C	.25	
	35.0			35.0		
				10-C	.25	
				37.5		
				11-C	.25	
	40.0			40.0		
				12-C	.25	
				42.5		
				13-C	.25	
	45.0			45.0		
				14-C	.25	
	47.5	to	60.0	47.5		
			GR-CL (CH) SOFT	15-C	.25	
	50.0			50.0		

DRILLING LOG		DIVISION Southwest		INSTALLATION Cable West		SHEET 3 OF 3 SHEETS	
1. PROJECT Houston Sh. chr				10. SIZE AND TYPE OF BIT			
2. LOCATION (Coordinates or Station)				11. DATUM FOR ELEVATION SHOWN (TBM or MSL)			
3. DRILLING AGENCY				12. MANUFACTURER'S DESIGNATION OF DRILL			
4. HOLE NO. (As shown on drawing title and file number) 78-139				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED	
5. NAME OF DRILLER				14. TOTAL NUMBER CORE BOXES			
6. DIRECTION OF HOLE ☐ VERTICAL ☐ INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER		16. DATE HOLE STARTED COMPLETED	
7. THICKNESS OF OVERBURDEN				17. ELEVATION TOP OF HOLE			
8. DEPTH DRILLED INTO ROCK				18. TOTAL CORE RECOVERY FOR BORING %			
9. TOTAL DEPTH OF HOLE				19. SIGNATURE OF INSPECTOR			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
			GR. CL (CH) SOFT	16-c	25		
				52.5			
			GR. ORGANIC CL (CH) SOFT	17-c	25		
	55.0			55.1			
			GR. ORGANIC CL (CH) SOFT	18-c	25		
				57.5			
			GRAY CL (CH) Highly organic SOFT	19-c	25		
	60.0			60.1		Bottom @ 60.0	