

BORING LOG **FIELD DATA**

Project Galveston Island Location 2650 EAST JETTY Date 10/5/76
 Drill Rig 1500 Inspector Purte Operator Curtis Surface elev 3.0 M.L.T. 21505
 Levee District GALVESTON Job No. 76-185

SAMPLE NUMBER	DATE TAKEN <u>1976</u>	STRATUM		DRIVE		SAMPLE		TYPE OF SAMPLER	CONTAINER	POCKET PENETROMETER VALUE	CLASSIFICATION AND REMARKS
		FROM	TO	FROM	TO	FROM	TO				
	<u>505</u>	<u>0</u>	<u>14.0</u>								<u>water depth at 1505</u>
		<u>14.0</u>									
<u>S-1</u>				<u>14.0</u>	<u>14.5</u>	<u>14</u>	<u>16</u>	<u>Drive</u> <u>Sampler</u>	<u>jar</u>		<u>Tan very fine, fine sand</u> <u>8 blows</u>
				<u>14.5</u>	<u>15.0</u>						<u>22 blows</u>
				<u>15.0</u>	<u>15.5</u>						
				<u>15.5</u>	<u>16.0</u>						
				<u>16.0</u>	<u>20.0</u>						<u>Washed away</u>
<u>S-2</u>	<u>UNC</u>		<u>20.5</u>	<u>20.0</u>	<u>25.5</u>	<u>21.5</u>	<u>22.5</u>	<u>Shelby</u>	<u>tube 2.25</u>		<u>Gray clay w/ broken shell, soft</u> <u>Washed away</u>
<u>or</u>		<u>20.5</u>		<u>20.5</u>	<u>25.0</u>						
<u>S-3</u>	<u>UNC</u>			<u>25.0</u>	<u>27.5</u>	<u>26.5</u>	<u>27.5</u>		<u>tube 2.25</u>		<u>with broken shell, soft</u> <u>Washed away</u>
				<u>27.5</u>	<u>30.0</u>						
<u>S-4</u>			<u>31.2</u>	<u>30.0</u>	<u>32.5</u>	<u>31.5</u>	<u>32.5</u>	<u>UNC</u>	<u>tube 2.25</u>		<u>Brown, gray sandy clay, v/soft?</u>
		<u>31.2</u>									
				<u>32.5</u>	<u>38.0</u>						<u>Washed away</u>
<u>S-5</u>				<u>38.0</u>	<u>37.5</u>	<u>36.5</u>	<u>37.5</u>		<u>tube 3.0</u>		<u>With sand pockets</u> <u>Washed away</u>
				<u>37.5</u>	<u>40.0</u>						
<u>S-6</u>			<u>41.3</u>	<u>40.0</u>	<u>40.5</u>	<u>41.5</u>	<u>41.8</u>		<u>tube 2.25</u>		<u>v/stiff</u>

FIELD DATA

Job No. _____ Boring No. 76-185

[illegible]

