

DRILLING LOG		DIVISION Southwestern		INSTALLATION Galv Dist, Eng Div		SHEET OF SHEETS	
1. PROJECT Sabine Neches Spoil Disposal Area				10. SIZE AND TYPE OF BIT			
2. LOCATION (Coordinates or Station)				11. DATUM FOR ELEVATION SHOWN (TBM or MSL)			
3. DRILLING AGENCY U. S. Army Corps of Engineers				12. MANUFACTURER'S DESIGNATION OF DRILL			
4. HOLE NO. (As shown on drawing title and file number) 3ST-13				13. TOTAL NO. OF OVER-BURDEN SAMPLES TAKEN		DISTURBED UNDISTURBED 10 Cont	
5. NAME OF DRILLER Caraway				14. TOTAL NUMBER CORE BOXES			
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.				15. ELEVATION GROUND WATER			
7. THICKNESS OF OVERBURDEN				16. DATE HOLE 15 Apr		STARTED COMPLETED 15 Apr 1964	
8. DEPTH DRILLED INTO ROCK				17. ELEVATION TOP OF HOLE			
9. TOTAL DEPTH OF HOLE 20.0				18. TOTAL CORE RECOVERY FOR BORING %			
				19. SIGNATURE OF INSPECTOR			
ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOV- ERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g	
0.0	1.0		Brown clay med w/grass roots moist			Cont. 1	0.50
1.0	2.0		Gray and tan clay soft, wet			Cont. 2	0.25
2.0	4.0		Gray clay v/soft, wet, w/roots			Cont. 3	0.0
4.0	6.0		Same as above, v/soft			Cont. 4	0.20
6.0	8.0		Gray clay soft, wet,			Cont. 5	0.25
8.0	10.0		Same as above, v/soft w/few shell frag			Cont. 6	0.0
10.0	11.0		Same as above			Cont. 6	0.0
11.0	12.5		Gray clay, v/soft, wet, w/shell frag			Cont. 7	0.0
12.5	14.0		Same as above, no recovery				
14.0	14.5		Same as above				
14.5	16.0		Greenish gray and rust clay stiff, moist			Cont. 8	1.75
16.0	18.0		Same as above, v/stiff, moist			Cont. 9	3.50
18.0	20.0		Tan and gray sandy clay, stiff crumbles, moist			Cont. 10	1.50
			Bottomed Water 1.3 Note: Weight of Kelly pushed each 2' run down to 14.5				