

<b>DRILLING LOG</b>	DIVISION Southwestern	INSTALLATION Galv Dist, Er Div	SHEET OF SHEETS
1. PROJECT Wallisville Reservoir		10. SIZE AND TYPE OF BIT	
2. LOCATION (Coordinates or Station)		11. DATUM FOR ELEVATION SHOWN (TBM or MSL)	
3. DRILLING AGENCY Dept of the Army, GD, Corps of Engineers		12. MANUFACTURER'S DESIGNATION OF DRILL	
4. HOLE NO. (As shown on drawing title and file number) 3ST-309		13. TOTAL NO. OF OVERBURDEN SAMPLES TAKEN	DISTURBED UNDISTURBED 14 Cont
5. NAME OF DRILLER Black		14. TOTAL NUMBER CORE BOXES	
6. DIRECTION OF HOLE <input type="checkbox"/> VERTICAL <input type="checkbox"/> INCLINED _____ DEG. FROM VERT.		15. ELEVATION GROUND WATER	
7. THICKNESS OF OVERBURDEN		16. DATE HOLE	STARTED 15 Aug COMPLETED 15 Aug 1967
8. DEPTH DRILLED INTO ROCK		17. ELEVATION TOP OF HOLE	
9. TOTAL DEPTH OF HOLE 30.0		18. TOTAL CORE RECOVERY FOR BORING %	
		19. SIGNATURE OF INSPECTOR	

ELEVATION a	DEPTH b	LEGEND c	CLASSIFICATION OF MATERIALS (Description) d	% CORE RECOVERY e	BOX OR SAMPLE NO. f	REMARKS (Drilling time, water loss, depth of weathering, etc., if significant) g
0.0	2.0		Gray clay w/roots, tr sand soft			Cont. 1 0.25
2.0	4.0		Gray clay, tr sand, v/soft	unc		Cont. 2 0.0
4.0	6.0		Same as above, soft			Cont. 3 0.0
6.0	8.0		No recovery			No sample
8.0	10.0		Gray clay w/sandy layers v/soft	unc		Cont. 4 0.0
10.0	12.0		Same as above, v/soft			Cont. 5 0.0
12.0	14.0		Gray clay w/sandy layers v/soft			Cont. 6 0.0
14.0	16.0		Gray clay w/sandy layers tr shell, v/soft	unc		Cont. 7 0.0
16.0	18.0		Same as above, v/soft			Cont. 8 0.0
18.0	20.0		Gray clay w/sandy layers v/soft	unc		Cont. 9 0.0
20.0	22.0		Same as above, soft			Cont. 10 0.25
22.0	24.0		Same as above, soft			Cont. 11 0.25
24.0	26.0		Gray clay w/sand layers org. mat. med			Cont. 12 0.50
26.0	28.0		Gray clay tr sand, stiff			Cont. 13 1.00
28.0	30.0		Gray clay, med  BOTTOMED  Water 0.0			Cont. 14 0.75