

SWG Form 267(c)
28 Jan 1965

PROJECT: PACC WW

BORING NO. 3st-19

LOCATION: Channel to La Quieta

TEST DATA SUMMARY

DATE DRILLED 11 Feb 1965

FIELD NO.	DEPTH	CLASSIFICATION ELEVATION TOP BORING _____	SYMBOL	CONSISTENCY	POCKET (1) PENETROMETER	STAN. PENET. BLOWS/FT (2)	MOISTURE CONTENT %	DRY DENSITY P. c. f.	L.L.	P.L.	BAR L.S.	SIEVE ANALYSIS							
												PERCENT			INIT. WT.	ACC. WT. RTND. SIEVE NO. (3)			
												GRVL	SAND	FINES		NO. 4	NO. 10	NO. 40	NO. 200
	0-36 ⁵	Water																	
J-1	36 ⁵ -39	Gray & Brown Clay from	CH				58.1		55		14.0	4	43	53	236	9.0	27.0	48.0	111.5
X	39-40	36.5-49.5 sandy w/shell																	
C-1	40-42	fragments from 36.5-39.0'		H	4.5														
C-2	42-44 ⁵			VST	2.75														
C-3	44 ⁵ -47			VST	2.75		36.2	86			22.0	0	0	100	50	0.0	0.0	0.0	0.0
C-4	47-49 ⁵			VST	2.75														
C-5	49 ⁵ -52	Gray sandy clay from 49.5-52	CL	VST	2.50		23.5	97	49		16.0	0	34	66	50	0.0	0.0	0.0	17.0
		Tide 1.2 @ 9:30 AM																	

KEY: CONSISTENCY - COHESIVE SOILS CONSISTENCY - COHESIONLESS SOILS
 VS S M ST VST H VL L H D VD (1) Tons/Sq.Ft. Unconfined Compressive Strength
 Very Soft Soft Medium Stiff Very Stiff Hard Very Loose Loose Medium Dense Very Dense (2) Split Barrel Sampler
 (3) Acc. Wt. Rnd ÷ Init. Wt. x 100 = % Rnd.

BORING NO. 3st-19