

ON LOCATION 17:15
FINISHED 19:30

Boring No. 74-46
Levee District _____
Job No. _____

Date _____ Classified by _____

[illegible]

SWG Form 267

12 July 1971

PROJECT: LA QUINTA CHANNEL

LOCATION: Station 170+00

GDLR NO 1472

BORING NO. 74-46

TEST DATA SUMMARY

DATE COMPLETED 27 June 1974

FIELD NO.	Sample Depth, Feet		CLASSIFICATION	SYMBOL	CONSISTENCY	POCKET (1) PENETROMETER	STAN. PENET. BLOWS/FT (2)	MOISTURE CONTENT %	DRY DENSITY p. c. f.	L.L.	P.L.	Lab Sample No.	BAR L.S.	SIEVE ANALYSIS																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
	From	To												PERCENT			WT. INIT.	ACC. WT. RTND. SIEVE NO. (3)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
														GRVL	SAND	FINES		NO. 4	NO. 10	NO. 40	NO. 200																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	0.0	43.0	WATER																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

KEY: CONSISTENCY - COHESIVE SOILS
 VS S M ST VST R VL L H D VD
 Very Soft Soft Medium Stiff Very Stiff Hard Very Loose Loose Medium Dense Very Dense

(1) Tone/Sq. Ft. Unconfined Compressive Strength
 (2) Split Barrel Sampler
 (3) Acc. Wt. Rnd ÷ Init. Wt. x 100 = % Rnd.

BORING NO. 74-46

Bottomed at 57.5' Water at Tide Reading +2.0

Sheet 1 of sheets 1