

U.S. ARMY CORPS OF ENGINEERS

DEPTH, FEET	SAMPLE NO.	PEN./TORVANE SPT.-BLOW COUNT	COLOR	MATERIAL TYPE	CONSISTENCY	SECONDARY CONSTITUENTS	STRUCTURAL FEATURES AND COMMENTS
<p style="text-align: right;">BORING NO. <u>SI-21</u> DATE: BEGIN <u>10-12-02</u> PAGE <u>171</u></p> <p style="text-align: right;">JOB NO. <u>1140127279</u> COMPLETE <u>10-12-02</u> Thin Walled Tube</p> <p style="text-align: right;">PROJECT <u>Lost Lake Placement Area</u> <input checked="" type="checkbox"/> 3" <input type="checkbox"/> 6"</p> <p style="text-align: right;">LOCATION <u>X=3,241,957.591, Y=724,771.296</u></p> <p style="text-align: right;">ELEVATION OF HOLE _____</p> <p style="text-align: right;">MANUFACTURER'S DESIGNATION OF DRILL RIG <u>Pontoon mounted - Marsh Boring</u></p> <p style="text-align: right;">GROUNDWATER: DEPTH _____ ft., ELEV. _____ ft., at end of Drilling</p> <p style="text-align: right;">WEATHER <u>SUNNY</u></p> <p style="text-align: right;">DRILLER <u>Dempsey Green</u> LOGGER <u>John A. Gentry</u></p>							
0	1	0.00	REDISH BR	CLAY	V. SOFT		REDISH BROWN CLAY 0'3"
	J 2	0.00	DARK GRAY	CLAY	V. SOFT		DARK GRAY CLAY 0'3"
	J 3	0.00	DARK GRAY	CLAY	V. SOFT		HYDRO-CARBON OIL 3'28"
- 5	J 4	0.00	DARK GRAY	CLAY	V. SOFT		SAMPLES BULGE 3'48"
	J 5	0.00	DARK GRAY	CLAY	V. SOFT		
- 10							
- 15							
- 20							
- 25							
- 30							
- 35							

J = JAR SAMPLE