

U.S. ARMY CORPS OF ENGINEERS

DEPTH, FEET	SAMPLE NO.	PEN./TORVANE	SPT.-BLOW COUNT	BORING NO. <u>92472</u> DATE: BEGIN <u>7-31-92</u> PAGE <u>111</u>				
				JOB NO. <u>146548</u> COMPLETE <u>7-31-92</u> Thin Walled Tube PROJECT <u>DISPOSAL AREA #5</u> ☒ 3" ☐ 6" LOCATION <u>BROWNSVILLE SHIP CHANNEL</u> ELEVATION OF HOLE _____ MANUFACTURER'S DESIGNATION OF DRILL RIG <u>C-1000 Marsh Buggy</u> GROUNDWATER: DEPTH <u>200</u> ft., ELEV. _____ ft., at end of Drilling WEATHER <u>PARTLY CLOUDY & WINDY</u> DRILLER <u>SCOTT</u> LOGGER <u>JOHN</u>				
				COLOR	MATERIAL TYPE	CONSISTENCY	SECONDARY CONSTITUENTS	STRUCTURAL FEATURES AND COMMENTS
0	1	1.75		BROWN	CLAY	STIFF		
	2	0.75		"	"	MEDIUM STIFF		+ GRAY 2'-6
5	3	0.75		"	"	"		
	4	0.75		GRAY	"	"		+ BROWN 6'-8
	5	0.5		BROWN	CLAY	M-STIFF	SILTY	+ GRAY 8'-10'
10								
15								
20								
25								
30								
35								

SUMMARY OF LABORATORY TEST RESULTS

[illegible]

Geotest Engineering, Inc.